Environmental Protection Agency

SUBPART C-PSNS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of nickel-cobalt formed	
Chromium	0.091 0.136 14.7	0.037 0.091 6.50

[50 FR 34270, Aug. 23, 1985; 51 FR 2886, Jan. 22, 1986, as amended at 54 FR 11350, Mar. 17, 1989]

§ 471.36 Effluent limitations representing the degree of effluent reduction attainable by the application of the best conventional pollutant control technology (BCT). [Reserved]

Subpart D—Precious Metals Forming Subcategory

§ 471.40 Applicability; description of the precious metals forming subcategory.

This subpart applies to discharges of pollutants to waters of the United States, and introductions of pollutants into publicly owned treatment works from the process operations of the precious metals forming subcategory.

§ 471.41 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT).

Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations for the process operations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

- (a) Rolling spent neat oils—subpart D—BPT. There shall be no discharge of process wastewater pollutants.
 - (b) Rolling spent emulsions.

SUBPART D-BPT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals rolled with emul- sions	
Chromium	0.026	0.012
Copper	0.147	0.077
Cyanide	0.023	0.010
Silver	0.032	0.013
Oil and grease	1.54	0.925
TSS	3.16	1.51
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

- (c) Drawing spent neat oils—subpart D—BPT. There shall be no discharge of process wastewater pollutants.
 - (d) Drawing spent emulsions.

SUBPART D-BPT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals drawn with emul- sions	
Cadmium Copper Cyanide Silver	0.016 0.091 0.014 0.020	0.007 0.048 0.006 0.008
Oil and greaseTSS	0.950 1.95	0.570 0.926
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(e) Drawing spent soap solutions.

SUBPART D-BPT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals drawn with soap so- lutions	
Cadmium	0.001	0.0005
Copper	0.006	0.003
Cyanide	0.0009	0.0004
Silver	0.001	0.0006
Oil and grease	0.063	0.038
TSS	0.128	0.061
pH	(1)	(¹)

 $^{^{\}mbox{\tiny 1}}\mbox{Within the range of 7.5 to 10.0 at all times.}$

(f) Metal powder production wet atomization wastewater.